RIZISTAL RM30 - NATURAL - HARDENER

Page: 1

Compilation date: 20/04/2015

Revision date: 16/05/2017

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: RIZISTAL RM30 - NATURAL - HARDENER

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	John L Lord & Son Ltd.
	Unit 4
	Park 66
	Bury
	Lancashire
	BL9 8RZ
	United Kingdom
Tel:	+44 (0)161 764 4617
Fax:	+44 (0)161 763 1873
Email:	derrickhulett@john-lord.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the subst	2.1. Classification of the substance or mixture			
Classification under CLP:	Repr. 2: H361; Skin Corr. 1B: H314; Aquatic Chronic 2: H411; Acute Tox. 4: H302; Skin			
	Sens. 1: H317; STOT SE 3: H335			
Most important adverse effects:	Suspected of damaging fertility or the unborn child. Causes severe skin burns and eye			
	damage. Toxic to aquatic life with long lasting effects. Harmful if swallowed. May cause			
	an allergic skin reaction. May cause respiratory irritation.			
2.2. Label elements				
Label elements:				
Hazard statements:	H361: Suspected of damaging fertility or the unborn child.			
	H314: Causes severe skin burns and eye damage.			
	H411: Toxic to aquatic life with long lasting effects.			
	H302: Harmful if swallowed.			
	H317: May cause an allergic skin reaction.			
	H335: May cause respiratory irritation.			
Hazard pictograms:	GHS05: Corrosion			
	GHS08: Health hazard			

RIZISTAL RM30 - NATURAL - HARDENER

Page: 2

 GHS07: Exclamation mark

 GHS09: Environmental

 Image:

 Signal words:

 Danger

 Precautionary statements:

 P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

 Rinse skin with water .

 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

 contact lenses, if present and easy to do. Continue rinsing.

 P310: Immediately call POISON CENTER/doctor.

 P405: Store locked up.

 P501: Dispose of contents/container to in accordance with

 local/regional/national/international regulations.

2.3. Other hazards

Other hazards: Danger of serious damage to health by prolonged exposure.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

4-TERT-BUTYLPHENOL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
202-679-0	98-54-4	-	Repr. 2: H361f; Skin Irrit. 2: H315; Eye	30-50%
			Dam. 1: H318; Aquatic Chronic 1:	
			H410	

TRIMETHYLHEXANE-1,6-DIAMINE

247-063-2	25513-64-8	-	Acute Tox. 4: H312; Skin Sens. 1A:	10-30%	
			H317; Aquatic Chronic 3: H412; Skin		
			Corr. 1C: H314; Acute Tox. 4: H302		

PARAFORMALDEHYDE OLIGOMERIC REACTION PRODUCTS WITH 4-TERT-BUTYLPHENOL

500-618-5	161278-27-9	-	Acute Tox. 4: H332; Acute Tox. 4: H302;	10-30%
			Skin Corr. 1B: H314; Skin Sens. 1A:	
			H317; Aquatic Chronic 3: H412	

RIZISTAL RM30 - NATURAL - HARDENER

Page: 3

	PHENOL STYREN	NATED			
	262-975-0	61788-44-1	-	Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1: H317	1-10%
Se	ection 4: First aid ı	measures			
	4.1. Description of	first aid mea	sures		
	SI	kin contact:	Instantly wash with water and soap and	rinse thoroughly. If skin irritation continues,	
			consult a doctor.		
	E	iye contact:	Rinse opened eye for several minutes ur	nder running water. Then consult a doctor.	
		Ingestion:	Drink copious amounts of water and prov	vide fresh air. Instantly call for a doctor.	
		Inhalation:	Supply fresh air; consult doctor in case of	of complaints.	
	4.2. Most importan	it symptoms :	and effects, both acute and delayed		
	SI	kin contact:	Caustic effect on the skin and mucous n	nembranes. Sensitisation possible through skir	n
			contact.		
	E		Strong caustic effect		
		-	There may be soreness and redness of t	the mouth and throat.	
			Exposure may cause coughing or wheezing.		
	4.3. Indication of any immediate medical attention and special treatment needed				
		ate / special treatment: Instantly remove any clothing soiled by the product			
Section 5: Fire-fighting measures					
	5.1. Extinguishing media				
-	Extinguishing media: CO2, Extinguishing Powder or Water Jet. Fight larger fires with water jet or alcohol				
	- ^55			itable extinguishing agents Water with a full	
			water jet.		
	5.2 Special hazard		m the substance or mixture		
		•			
			Formation of toxic gases is possible duri	ng heating or in case of fire.	
	5.3. Advice for fire-	fighters			
	Advice for fi	ire-fighters:	Put on breathing apparatus. Dispose of f	fire debris and contaminated fire fighting water	
			in accordance with official regulations.		
Se	ection 6: Accidenta	al release m	neasures		
	6.1. Personal preca	autions, prote	ective equipment and emergency proc	edures	
·	Personal p	recautions:	Wear protective clothing		
	6.2. Environmental	precautions			

Environmental precautions: Do not allow product to reach sewage system or water body. Do not allow the product to

enter the ground / soil.

RIZISTAL RM30 - NATURAL - HARDENER

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb with liquid binding material (sand, diatomite, acid binders, universal binders,

sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4. Reference to other sections

Reference to other sections: Refer to section 13 of SDS. Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: The usual precautionary measures for handling chemicals must be observed. Ensure good ventilation/exhaustion at the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store only in original container. Provide floor trough without outlet. Store away from foodstuffs Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

RIZISTAL RM30 - NATURAL - HARDENER

Туре	Exposure	Value	Population	Effect
DNEL	Dermal (98-54-4 4-tert-butylphenol)	0.071 mg/kg	Workers	Long term exposure
DNEL	Inhalative (98-54-4 4-tert- butylphenol)	0.5 mg/kg	Workers	Long term exposure
PNEC	Fresh water (98-54-4 4-tert- butylphenol)	0.01 mg/l	-	-
PNEC	Marine water (98-54-4 4-tert- butylphenol)	0.001 mg/l	-	-
PNEC	Fresh water (25513-64-8 trimethylhexane-1,6-diamine)	0.0295 mg/	-	-
PNEC	Marine water (25513-64-8 trimethylhexane-1,6-diamine)	0.00295 mg/l	-	-

8.2. Exposure controls

Engineering measures: Keep away from foodstuffs, beverages and food. Take off immediately all contaminated

RIZISTAL RM30 - NATURAL - HARDENER

Respiratory protection:	Use breathing protection in case of insufficient ventilation.
Hand protection:	Wash hands before work breaks and after finishing work. Only use chemical-protective
	gloves with CE-labelling of category III. To minimise the wetness in the glove due to
	perspiration changing of gloves during a shift is required. Check the permeability prior to
	each anewed use of the glove. Preventive skin protection by use of skin-protecting
	agents is recommended.
Eye protection:	Avoid contact with eyes. Tightly sealed safety glasses.
Skin protection:	Avoid all skin contact. Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Yellowish		
Odour:	Amine-like		
Solubility in water:	Not miscible		
Kinematic viscosity:	125 s		
Boiling point/range°C:	> 200 °C	Melting point/range°C:	No Data
Flash point°C:	> 100 °C	Autoflammability°C:	N/A
Relative density:	1.01 g/cm³ (ISO 2811		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: No dangerous reactions known.

10.4. Conditions to avoid

Conditions to avoid: No further relevant information available.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents.

10.6. Hazardous decomposition products

Haz. decomp. products: No hazardous decomposition products if stored and handled as prescribed/indicated In

the event of fire; toxic gases and vapours

Page: 5

RIZISTAL RM30 - NATURAL - HARDENER

Page: 6

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
DERMAL	RBT	LD50	>2000 98-54-4 4-	mg/kg
			tert	
Inhalative	OECD- 403	4H LC50	> 5.6 98-54-4 4-	mg/l
			tert	
ORAL	RAT	LD50	>2000 98-54-4 4-	mg/kg
			tert	
DERMAL	RAT	LD50	>2000 61788-44-1	mg/kg
			Phe	

Hazardous ingredients:

PARAFORMALDEHYDE OLIGOMERIC REACTION PRODUCTS WITH 4-TERT-BUTYLPHENOL

ORAL RAT LD50 401-2000 m	mg/kg
--	-------

Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated
Reproductive toxicity		Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	Caustic effect on the skin and mucous membranes. Sensitisation possible through skin			
	contact.			
Eye contact:	Strong caustic effect			
Ingestion:	There may be soreness and redness of the mouth and throat.			
Inhalation:	Exposure may cause coughing or wheezing.			
Other information:	The product shows the following dangers according to the calculation method of the			
	General EC Classification Guidelines for Preparations as issued in the latest version:			
	Harmful Corrosive Irritant Swallowing will lead to a strong caustic effect on mouth and			
	throat and to the danger of perforation of esophagus and stomach.			
Ecological information				

Section 12: Ecological information

RIZISTAL RM30 - NATURAL - HARDENER

12.1. Toxicity

Page: 7

Ecotoxicity values:

Species	Test	Value	Units
ALGAE 1477-55-0 m-phenylenebis(methylami	72H EC50	20.3	mg/l
ALGAE 25513-64-8 trimethylhexane-1,6-dia	72H EC50	29.5	mg/l
ALGAE 98-54-4 4-tert-butylphenol	72H EC50	<100	mg/l
Bacteria 25513-64-8 trimethylhexane-1,6-	17H EC50	89	mg/l
Daphnia magna 1477-55-0 m-phenylenebis(m	48H EC50	15.2	mg/l
Daphnia magna 25513-64-8 trimethylhexane	48H EC50	31.5	mg/l
Daphnia magna 98-54-4 4-tert-butylphenol	48H EC50	3.9	mg/l
FISH 1477-55-0 m-phenylenebis(methylamin	96H LC50	>100	mg/l
FISH 25513-64-8 trimethylhexane-1,6-diam	48H LC50	174	mg/l
FISH 98-54-4 4-tert-butylphenol	96H LC50	>1	mg/l

Hazardous ingredients:

PARAFORMALDEHYDE OLIGOMERIC REACTION PRODUCTS WITH 4-TERT-BUTYLPHENOL

ALGAE	48H EC50	10-100	mg/l
DAPHNIA	48H EC50	10-100	mg/l
FISH	96H LC50	10-100	mg/l

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: For disposal, local regulations issued by the authorities must be observed. Dispose of

liquid components at a suitable incineration plant. After curing, the product can be

disposed of with household waste.

Recovery operations: Not applicable.

RIZISTAL RM30 - NATURAL - HARDENER

		rage. (5
Waste code number:	08 00 00		
Disposal of packaging:	Dispose of waste and residues in accordance with local authority requirements.		
NB:	The user's attention is drawn to the possible existence of regional or national		
	regulations regarding disposal.		
Section 14: Transport information	tion		
14.1. UN number			
UN number:	UN2735		
14.2. UN proper shipping name			
Shipping name:	2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-		
	phenylenebis(methylamine), 4-tert-butylphenol),		

ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: ii

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6. Special precautions for user

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information:This safety data sheet is prepared in accordance with Commission Regulation (EU) No
2015/830.
* indicates text in the SDS which has changed since the last revision.Phrases used in s.2 and s.3:H302: Harmful if swallowed.
H312: Harmful in contact with skin.
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.

Page: 8

RIZISTAL RM30 - NATURAL - HARDENER

H318: Causes serious eye damage.
H332: Harmful if inhaled.
H335: May cause respiratory irritation.
H361: Suspected of damaging fertility or the unborn child.
H361f: Suspected of damaging fertility.
H410: Very toxic to aquatic life with long lasting effects.
H411: Toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 9